

July 30, 2020

Town of Wellesley Design Review Board 525 Washington St., Lower Level Wellesley, MA 02482

Via:

FedEx and Email to dmccauley@wellesleyma.gov

and mgrant@wellesleyma.gov

Reference:

Design Review

FKC-Wellesley Facility Parking Alterations

981 Worcester Street
Wellesley, Massachusetts
B+T Project No. 3216.00

#### To Whom it May Concern:

On behalf of the Applicant, Fresenius Medical Care North America, Beals and Thomas, Inc. respectfully submits the enclosed Application and Plans for review by the Design Review Board. The Project consists of a minor construction project and includes minor alterations to the existing building and parking areas associated with the FKC-Wellesley Facility located at 981 Worcester Street in Wellesley, Massachusetts.

The Applicant proposes to enhance accessibility for visitors associated with the new building tenants by upgrading the access to the existing building to include additional entranceways and access ramps to both the north and south sides of the building. Alterations include installing new entranceways to the building and associated access ramps, removing and relocating curbing and landscaping islands, and restriping of the parking area to accommodate the building access changes. The proposed Project has been designed to meet the requirements set forth by the Wellesley Zoning Bylaw. According to Section 21 of the Bylaw, the approximately 12,960 square foot building is required to have 87 parking spaces. The existing parking area contains 101 striped spaces; however, there are three spaces located at the northeast area of the site which do not meet the required length of a parking space. The reconfiguration of the parking spaces as a result of the new entrances will eliminate these undersized spaces and result in a total of 96 parking spaces. Of the 96 parking spaces, 29 spaces will be compact spaces at 7.5' wide versus 8.5' wide for standard size parking spaces. Additionally, a new generator will be installed at the rear of the building which will be enclosed by fencing and will not be visible from Worcester Street (Route 9).


144 Turnpike Road Southborough, MA 01772



Town of Wellesley Design Review Board July 30, 2020 Page 2



View of the southern side of the building.




View of the southern side of the building where a new building entrance is proposed.



Town of Wellesley Design Review Board July 30, 2020 Page 3



View of the northern side of the building.



View of the northern side of the building where a new building entrance is proposed.

The Project does not propose to install any new impervious surfaces that would require additional stormwater management or expand the parking area.



Town of Wellesley Design Review Board July 30, 2020 Page 4

Should you have any questions regarding this matter or require additional information, please contact us at (508) 366-0560. We thank you for your attention to this Application and look forward to discussing with the Board on August 12, 2020.

Very truly yours,

BEALS AND THOMAS, INC.

David J. LaPointe, RLA, LEED AP


Principal

Attachments: Application for Design Review \$150.00 Check made payable to the Town of Wellesley

Site Plans

**Building Elevation** 

DJL/CEB/---/321600LT001





# TOWN OF WELLESLEY DESIGN REVIEW BOARD APPLICATION FOR DESIGN REVIEW

#### WELLESLEY DESIGN REVIEW BOARD

525 Washington Street • Wellesley, MA 02482 781-431-1019 ext. 2232 • Fax 781-237-6495

				application submis	sion date: July 30, 2020	
Part A. 98	31 Worcester	Street Wellesle	y, Massachuse	tts		
1. Address of Project	<b>6</b> } + \$ + + + + + + + + + + + + + + + + +			त्यक्ष मिनिकेन का बोब के का मोने के निकास ने माने मुख्या माने के मान का नहीं में मीनो कहा के के का	त्र के कर के कर के क्षेत्र के आहे के कुछ के का के बाव कर के बाद कर के बाद होती के कार की उनके कर का का का का क का कि का का का को की की का	
2. Type of Project:	□PSI	□Major	<b>Minor</b>	□Antenna: By Right	☐Antenna: Special Permit	
-				d understand that all applica ellesley Design Review Boar		
660 Th	acher Street, U ro, MA 02703	Jnit 4 Phone (7	774) 331-1594 <sub>F</sub>	h America c/o George		
Georg Signature	je L Archambeat	USC - US. E-physical consultation has Uses - US-Secretaring Consultation for Caster FUND D7 22 50 28 31-54 105	n Di Tital Compileo, man ti Antonional			
Name of Agent for	Applicant Beals	s and Thomas,	Inc. c/o David J	. LaPointe	*** *** *** *** *** *** ***	
144 Turn	nike Road Sc	outhborough M	Δ Ω1772	/508) 366,0560	dlanginta@haalaandthamaa aan	
Address	PINE ROAD OC	athborough, w	Pho	ne Emai	diapointe@beaisandriomas.com	
Signature	Valud	pshy	ન નહોં ફોર્ક લોધ લેવ નોન મોર્ક પ્રકાર કે ઘટા કે ફોર્ક ફોર્ક કરાય છે. માટે પ્	(a e go, a e e i i i i i i e e e e e filicipa a a i i i i e i e i e e e e e e e e e	dlapointe@bealsandthomas.con	
				complete and before a revie		
				•		
For all projects (9 sets):			Locatio	n of existing and proposed	drivawaya parking areas	
Written description of p Written description of n	_			icapped ramps & all site im	,	
-					•	
Color photographs of the existing building and adjacent buildings.  Location of zone lines and existing zoning district.  Layout of all parking spaces, including dimensions, total number						
Scaled elevation drawin	gs (see details h	elow)		dard, compact, & handicap		
					•	
Landscape and grading plan showing all improvements  Plan showing outdoor lighting & signage.  Location of all open space including existing and proposed landscaped areas (show all major trees including street tre						
r ran snowing outdoor in	B. 11.11.12 or 21.21.10.21	•			e types and size of trees and	
Major Construction & P	SI should also in	ncluder		os to be planted.	types and size of these and	
Scaled site plan.				,		
A three-dimensional mo	del of the proje	ct.	Scaled	elevation drawings should	show the following:	
			Details	of major architectural elem	ents.	
Scaled site plans should	show the follow	wing:	Sample	s of materials to be used.		
Existing and proposed b	oundary lines in	cluding lot		ions of building/addition (h		
dimensions and area.			Any me	chanical equipment on roo	f.	
Location of all existing a	nd proposed str	uctures.				
Required application fee	e is \$150 for min	or construction ar	nd by-right antenna	a projects and \$300 for majo	or construction, PSI, and	
special permit antenna	projects. All che	cks made payable	to "Town of Welle	sley."		
Part D. To be completed	l by Design Revi	ew Board staff.				
Comments	-5	******************	**************************************	****		
DRR	Hearing Date					

# 981 WORCESTER STREET IN WELLESLEY, MASSACHUSETTS


(Norfolk County)

## **CLIENT**

Christopher Kidd and Associates, LLC. N48W16550 Lisbon Road Menomonee, Wisconsin 53051-6630

## CIVIL ENGINEER/SURVEYOR/ LANDSCAPE ARCHITECT

Beals and Thomas, Inc.
Reservoir Corporate Center
144 Turnpike Road
Southborough, Massachusetts 01772



**Locus Map**Scale: 1" = 2083'



Permit Plan Set - July 28, 2020

### **SHEET INDEX**

**Cover Sheet** 

C1.1 Notes, References and Legend Sheet

**C2.1** Site Preparation Plan

C3.1 Site Plan

C4.1 Site Details

Job No.: 3216.00

Plan No.: 321600P001A-001

Sheet 1 of 5

#### GENERAL NOTES

- THE CONTRACTOR SHALL MAKE ALL NECESSARY CONSTRUCTION NOTIFICATIONS AND APPLY FOR AND OBTAIN ALL RECESSARY CONSTRUCTION PERMITS. THE CONTRACTOR SHALL ALSO PAY ALL FEES AND POST ALL BONDS ASSOCIATED WITH THE SAME, AND COORDINATE WITH THE ENGINEER AND ARCHITECT AS REQUIRED.
- 2. CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR JOB SITE SAFETY AND ALL CONSTRUCTION MEANS AND METHODS.
- LIMIT OF WORK SHALL BE EROSION CONTROL BARRIERS, LIMIT OF GRADING AND SITE PROPERTY LINES AND/OR AS INDICATED ON DRAWINGS.
- PORTIONS OF THE ROADWAY, SIDEWALK AND ROADSIDE AREA DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED TO THEIR CONDITIONS PRIOR TO DISTURBANCE.
- 5. CONTRACTOR TO VERIFY UTILITY STUB LOCATIONS AND ELEVATIONS IN THE FIELD PRIOR TO COMMENCING WORK.
- ANY ALTERATION TO THESE DRAWINGS MADE IN THE FIELD DURING CONSTRUCTION SHALL BE RECORDED BY THE CONTRACTOR ON RECORD DOCUMENTS.
- ANY AREA OUTSIDE THE LIMIT OF WORK THAT IS DISTURBED SHALL BE RESTORED TO ITS ORIGINAL CONDITION AT NO COST TO OWNER.
- B. EXISTING TREES AND SHRUBS OUTSIDE THE UMITS OF GRADING SHALL BE REMOVED ONLY UPON PRIOR APPROVAL OF THE OWNER.
- FOR DRAWING LEGIBILITY, ALL EXISTING TOPOGRAPHIC FEATURES, EXISTING UTILITIES, PROPERTY BOUNDARIES, EASEMENTS, ETC. MAY NOT BE SHOWN ON ALL DRAWINGS REFER TO ALL REFERENCED DRAWINGS AND OTHER DRAWINGS IN THIS SET FOR ADDITIONAL INFORMATION.
- ALL EXCAVATORS OR CONTRACTORS MUST REFER TO 520 CMR 14.00 TO OBTAIN A TRENCH PERMIT PRIOR TO ANY CONSTRUCTION RELATED TRENCHES ON SITE.

#### EROSION CONTROL AND SEDIMENTATION NOTES

- 1. CONTRACTOR SHALL MAINTAIN ALL EROSION CONTROL MEASURES DURING ENTIRE CONSTRUCTION
- 2. ANY SEDIMENT TRACKED ONTO PUBLIC RIGHT-OF-WAYS SHALL BE SWEPT AT THE END OF EACH WORKING DAY
- 3. ALL STOCKPILE AREAS SHALL BE LOCATED WITHIN LIMIT OF WORK LINE AND STABILIZED TO
- ALL DEBRIS GENERATED DURING SITE PREPARATION ACTIVITIES SHALL BE LEGALLY DISPOSED OF OFF SITE.
- 5. PROVIDE CRIBBING AS NECESSARY TO PROTECT EXISTING UTILITY LINES DURING CONSTRUCTION.
- 6. SITE ELEMENTS TO REMAIN MUST BE PROTECTED FOR DURATION OF PROJECT.
- ADDITIONAL EROSION CONTROL MEASURES SHALL BE IMPLEMENTED AS CONDITIONS WARRANT OR AS DIRECTED BY THE OWNER OR OWNER'S REPRESENTATIVE.
- ALL POINTS OF CONSTRUCTION EGRESS OR INGRESS SHALL BE MAINTAINED TO PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC ROADS.
- ON PERMING OF SEMENT OF PUBLIC PUBLIC NOVING.

  SOL EROSON AND SEDMENTATION CONTROL MEASURES SHALL BE INSPECTED AND MAINTAINED ON A DAILY BASIS DURING CONSTRUCTION TO INSURE THAT CHANNELS, DITCHES AND PIPES ARE CLEAR OF DEBRIS AND THAT THE CROSION CONTROL BRARIERS ARE INTACT.
- CLEAR OF DEBRIS AND THAT THE EROSION CONTROL BARRIERS ARE INTACT.

  10. CONTRACTOR SHALL PROVIDE DUST CONTROL FOR CONSTRUCTION OPERATIONS AS APPROVED BY OWNER.
- 11. DUST SHALL BE CONTROLLED BY SPRINKLING OR OTHER APPROVED METHODS AS NECESSARY, OR AS DIRECTED BY THE OWNER OR HIS REPRESENTATIVE.
- 12. EXTREME CARE SHALL BE EXERCISED SO AS TO PREVENT ANY UNSUITABLE MATERIAL FROM ENTERING THE WETLANDS.


#### LAYOUT AND MATERIALS NOTES

- ALL LINES AND DIMENSIONS ARE PARALLEL OR PERPENDICULAR TO THE LINES FROM WHICH THEY
  ARE MEASURED UNLESS OTHERWISE INDICATED.
- 2. CONTRACTOR SHALL REPORT SIGNIFICANT CONFLICTS TO THE OWNER AND THE ENGINEER FOR RESOLUTION.
- 3. DIMENSIONS OF PARKING SPACES AND DRIVEWAYS ARE FROM FACE OF CURB TO FACE OF CURB.
- 4. DIMENSIONS FROM BUILDING ARE FROM FACE OF BUILDING TO FACE OF CURB. CONTRACTOR SHALL VERIFY ALL CONDITIONS IN THE FIELD AND REPORT ANY DISCREPANCES TO THE ENGINEER. THE CONTRACTOR SHALL STACE OUT BUILDING FROM THE LATEST ARCHITECTURAL DRAWNES.
- THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES BETWEEN SITE PLAN DIMENSIONS AND BUILDING PLANS BEFORE PROCEEDING WITH ANY PORTION OF SITE WORK WHICH MAY BE AFFECTED SO THAT PROPER ADJUSTMENTS TO THE SITE LAYOUT CAN BE MADE IF NECESSARY.
- SEE ARCHITECTURAL DRAWINGS FOR EXACT BUILDING DIMENSIONS AND ALL DETAIL CONTIGUOUS TO THE BUILDING, LIGHTING, ENTRANCE PATIO, DOORWAY PADS, LOADING DOCK DETAILS, ETC.
- ACCESSIBLE RAMPS SHALL BE PER MASSACHUSETTS STATE CODE AND THE AMERICANS WITH DISABILITIES ACT (ADA) ACCESSIBILITY GUIDELINES (WHICHEVER IS MORE STRINGENT).
- EACH ACCESSIBLE PARKING SPACE SHALL BE IDENTIFIED BY A SIGN SIX (6) FEET IN HEIGHT LOCATED AT THE FACE OF THE CURBLINE. THE SIGN SHALL CONTAIN THE INTERNATIONAL SYMBOL OF ACCESSIBLITY AS DESCRIBED IN THE AMERICANS WITH DISABILITIES ACT, PUBLIC LAW 101-336, (SEE DETAIL).
- PROTECT EXISTING PROPERTY MONUMENTS AND ABUTTING PROPERTIES DURING CONSTRUCTION ACTIVITIES.

#### GRADING, DRAINAGE AND UTILITY NOTES

- UNDERGROUND UTILITIES WERE COMPILED FROM AVAILABLE RECORD PLANS OF UTILITY COMPANIES AND PUBLIC AGENCIES, ARE APPROXIMATE AND ASSUMED. BEFORE COMMENCING SITE WORK IN ANY AREA, CONTACT 'DIG SAFE' AT 1-BBB-344-7233 TO ACCURATELY LOCATE UNDERGROUND UTILITIES. ANY DAMAGE TO EXISTING UTILITIES OR STRUCTURES SHALL BE THE CONTRACTOR'S RESPONSIBILITY. NO EXCAVATION SHALL BE DONE UNTIL UTILITY COMPANIES ARE PROPERLY NOTIFIED IN ADVANCE.
- 2. ALL SITE WORK SHALL MEET OR EXCEED THE SITE WORK SPECIFICATIONS DATED AUGUST 2020 PREPARED FOR THIS PROJECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THAT THE PROPOSED IMPROVEMENTS SHOWN ON THE PLANS DO NOT CONFLICT WITH ANY KNOWN EMSTING OR OTHER PROPOSED IMPROVEMENTS. IF ANY CONFLICTS ARE DISCOVERED, THE CONTRACTOR SHALL NOTHEY THE OWNER AND THE ENGINEER PRIOR TO INSTALLATION OF ANY PORTION OF THE SITE WORK WHICH WOULD BE AFFECTED.
- ALL WORK PERFORMED AND ALL MATERIALS FURNISHED SHALL CONFORM WITH THE LINES, GRADES AND OTHER SPECIFIC REQUIREMENTS OR SPECIFICATIONS OF THE TOWN OF WELLESLEY OPW.
- 4. AT ALL LOCATIONS WHERE EXISTING CURBING OR PAVEMENT ABUTS NEW CONSTRUCTION, THE EDGE OF THE FXISTING CURB OR PAVEMENT SHALL BE SAW CUIT TO A CLEAN, SMOOTH EDGE. BLEND NEW PAVEMENT, CURBS AND EARTHWORK SMOOTHLY INTO EXISTING BY MATCHING LINES, GRADES AND JOINTS. PITCH EVENLY BETWEEN SPOT GRADES. GRADE ALL AREAS TO DRAIN.
- 5. THE CONTRACTOR SHALL VERIFY EXISTING GRADES IN THE FIELD AND REPORT ANY DISCREPANCIES IMMEDIATELY TO THE ENGINEER. THE CONTRACTOR SHALL MAKE ALL ARRANGEMENTS FOR THE ALTERATION AND ADJUSTMENT OF GAS, ELECTRIC, TELEPHONE AND ANY OTHER PRIVATE UTILITIES BY THE UTILITY COMPANIES, AS REQUIRED. WHERE AN EXISTING UTILITY IS FOUND TO CONFLICT WITH THE PROPOSED WORK, THE LOCATION, ELEVATION AND SIZE OF THE UTILITY SHALL BE ACCURATELY DETERMINED WITHOUT DELAY BY THE CONTRACTOR, AND THE INFORMATION FURNISHED TO THE OWNER AND EXCORREF FOR RESOLUTION.
- ALL UTILITY COVERS, GRATES, ETC. SHALL BE ADJUSTED TO BE FLUSH WITH THE PAVEMENT FINISH GRADE UNLESS OTHERWISE NOTED. RIM ELEVATIONS OF DRAINAGE STRUCTURES AND SANITARY SEWER MANIPLES ARE APPROXIMATE.
- 7. INSTALL ALL UTILITIES (INCLUDING CONCRETE PADS) PER UTILITY COMPANY AND DPW STANDARDS.
- AN EROSION CONTROL BARRIER SHALL BE INSTALLED ALONG THE EDGE OF PROPOSED DEVELOPMENT AS SHOWN ON THE PLAN PRIOR TO THE COMMENCEMENT OF CONSTRUCTION OPERATIONS.
- CONTRACTOR SHALL PROTECT ALL UNDERGROUND DRAINAGE, SEWER AND UTILITY FACILITIES FROM EXCESSIVE VEHICULAR LOADS DURING CONSTRUCTION. ANY DAMAGE TO THESE FACILITIES RESULTION FROM CONSTRUCTION LOADS WILL BE RESTORED TO ORIGINAL CONDITION.
- 10. WETLANDS ARE TO REMAIN UNDISTURBED. NO ENCROACHMENT PERMITTED.
- 11. EXCAVATION REQUIRED WITHIN THE PROXIMITY OF EXISTING UTILITY LINES SHALL BE DONE BY HAND. CONTRACTOR SHALL REPAIR ANY DAMAGE TO EXISTING UTILITY LINES OR STRUCTURES INCURRED DURING CONSTRUCTION OPERATIONS AT NO COST TO THE OWNER.
- 12. STOCKPILED TOPSOIL SHALL BE PLACED NEATLY IN AN AREA INDICATED BY THE OWNER.
- 13. PITCH EVENLY BETWEEN SPOT GRADES. ALL PAVED AREAS MUST PITCH TO DRAIN AT A MINIMUM OF 1/8" PER FOOT UNLESS SPECIFIED. ANY DISCREPANCIES NOT ALLOWING THIS MINIMUM PITCH SHALL BE REPORTED TO THE ENGINEET PRIOR TO CONTINUING WORK.
- 14. THE CONTRACTOR SHALL SCHEDULE HIS WORK TO ALLOW THE FINISHED SUBGRADE ELEVATIONS TO DRAIN PROPERLY WITHOUT PUDDLING. SPECIFICALLY, ALLOW WATER TO ESCAPE WHERE PROPOSED CURB MAY RETAIN RUNOEF PRIOR TO APPLICATION OF THE FINISH SUBGRADE AND/OR SURFACE PAWING. PROVIDE TEMPORARY POSITIVE DRAINAGE AS REQUIRED.

## LEGEND AND ABBREVIATIONS



PREPARED FOR

# CHRISTOPHER KIDD & ASSOCIATES,

N48W16550 LISBON ROAD MENOMONEE FALLS, WISCONSIN



FOR PERMITTING ONLY

COPYRIGHT (C) BY BEALS AND THOMAS, INC.
ALL RIGHTS RESERVED

PREPARED BY:



BEALS AND THOMAS, INC. Reservoir Corporate Center 144 Turnpike Road Southborough, Massachusetts 01772-2104 T 508.366.0560 | www.bealsandthomas.com

DES		DWN	CHK'D	APP'		
-	ISSUE DA	TE	DESCRIP1	non		
0	07/28/2020		FIRST ISSUE			
1						
2						
3						
4						
5						

PROJECT:

#### 981 WORCESTER STREET WELLESLEY, MASSACHUSETTS

(NORFOLK COUNTY)

SCALE: N/A DATE: JULY 28, 2020

NOTES, REFERENCES
AND LEGEND


B+T JOB NO.3216.00


B+T PLAN NO. 321600P001A-002


C1.1


BEALS AND THOMAS, INC. SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, OR PROCEDURES UTILIZED BY THE CONTRACTOR'S EMPLOYEES, OR FOR THE FAMILIES OF THE CONTRACTOR'S EMPLOYEES, OR FOR THE FAMILIES OF THE CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.


NO PART OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, LECTRONIC, BECCHANICAL, PHOTOCOPYING, RECORDING OR OTHERWISE WITHOUT THE PRIOR WRITHOUT PROPULATION OF THE PRIOR WRITHOUT STATES AND TRANSMIT PRODUCED AND TRANSMIT AND THE PROPULATION OF THE PROPULAT
































FOR NOTES, REFERENCES AND LEGEND SEE SHEET C1.1.

BEALS AND THOMAS, INC. SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, OR PROCEDURES UTILIZED BY THE CONTRACTOR, NOR FOR THE SAFETY OF PUBLIC OR CONTRACTOR'S EMPLOYEES; OR FOR THE FALLINES OF THE CONTRACTOR TO CARRY OUT THE WORK; IM ACCORDANCE WITH THE CONTRACT DOCUMENTS.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC, MECHANICAL, PHOTOCOPYING, RECORDING OR OTHERWISE WITHOUT THE PROR WRITTEN PERMISSION OF BEALS AND THOMAS, INC. EXCEPT THAT ANY RECULATORY AUTHORITY MAY REPRODUCE AND TRANSMIT COPIES AS REQUIRED IN COMMUNICION WITH PERFORMANCE OF OFFICIAL BUSINESS WIDER TS JURISDICTION AND MODIFICATIONS TO THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF BEALS AND THOMAS, INC. SHALL RENDER IT INVALID AND UNDSABLE.

PREPARED FOR:

# CHRISTOPHER KIDD & ASSOCIATES, LLC.

N48W16550 LISBON ROAD MENOMONEE FALLS, WISCONSIN



# FOR PERMITTING ONLY

COPYRIGHT (C) BY BEALS AND THOMAS, INC.
ALL RIGHTS RESERVED

PREPARED BY:



BEALS AND THOMAS, INC. Reservoir Corporate Center 144 Turnpike Road Southborough, Massachusetts 01772-2104 T 508.366.0560 | www.bealsandthomas.com

	JUDGE DA		DCDOM!		
	ISSUE DA	TF	DESCRIPT	ION	
0	07/28/2	020	FIRST (SS	SUE	
1					
2					
3					
4					
5					

PROJECT:

#### 981 WORCESTER STREET

WELLESLEY, MASSACHUSETTS (NORFOLK COUNTY)

SCALE: AS NOTED DATE: JULY 28, 2020


#### SITE DETAILS

B+T JOB NO.3216,00

B+T PLAN NO. 321600P002A-003

C4.1

1 EXISTING SOUTH ELEVATION



2 PROPOSED SOUTH ELEVATION

Christopher D. Kidd, Ala, ALA, Risa Massachusetts License # 30622

Christopher Kidd and Associates, LLC KNOWNERS PLANNERS PRANNERS PLANNERS PRANNERS PRAN

FKC - Wellesley, Massachusetts 02482

FRESENIUS KIDNEY CARE **)**)>

These drawings, as instruments of service, remain the property of the Architect or Engineer. Any changes, publication, or use of any kind is prohibited unless expressly authorized by said party. Copyright 2020. Drafted By:

- 1	Checked By:	В
	Date Drafted:	07/0
-	Project #:	192
- 1	- 6	and the

/06/2020 3254-01 DATE

A3.1